

Listing of Claims

1. (Previously Presented) A method comprising:
 - a user computer providing a first email address received from an email service provider for use to register a user of the user computer with a first web site;
and
 - the user computer providing a second email address received from the email service provider, separate and distinct from the first email address, for use to register the user with a second web site,
 - wherein the first and second email addresses were provided together as a collection of email addresses to the user computer by the email service provider in advance of providing the first and second email addresses to the first and second web sites by the user computer,
 - wherein providing the first and second email addresses by the user computer comprises selecting by the user computer the first and second email addresses from the collection of email addresses obtained by the user computer from the email service provider in advance of the selection.
2. (Original) The method of claim 1, wherein the first email address comprises a first user identifier, and the second email address comprises a second user identifier, separate and distinct from said first user identifier.
3. (Previously Presented) The method of claim 1, wherein the first email address comprises an address of the email service provider, and the second email address comprises the address of the same email service provider.

4. (Previously Presented) The method of claim 1, wherein the first email address comprises a first user identifier and an address of the email service provider, and the second email address comprises a second user identifier, separate and distinct from said first user identifier, and the address of the same email service provider.

5-11. (Cancelled).

12. (Previously Presented) The method of claim 1, wherein the method further comprises the user computer notifying the email service provider of the usage of the first and second email addresses, including addresses of the first and the second web site.

13. (Previously Presented) The method of claim 12, wherein said notifications are performed integrally as said first and second email addresses are respectively provided to said user computer for use to respectively register the user with the first and second web sites.

14. (Previously Presented) The method of claim 12, wherein said notifications are performed subsequently in batch after said first and second email addresses were provided to said user computer for use to register the user with the first and the second web sites.

15. (Original) The method of claim 1, wherein the method further comprises:
receiving emails addressed to said first and second email addresses;
organizing said received emails based at least in part on whether the emails are addressed to the first or the second email address.

16. (Previously Presented) The method of claim 15, wherein said organizing of said received emails is at least further based on whether said received emails addressed to said first or second email addresses were sent respectively by said first or second web site or not.

17. (Previously Presented) The method of claim 16, wherein the method further comprises deleting all received emails addressed to said first or second email addresses not sent respectively by said first or second web site, while preserving all undeleted emails addressed to said first or second email addresses sent respectively by said first or second web site.

18. (Previously Presented) The method of claim 17, wherein the deleting of received emails not sent by said first or second web site and preserving all undeleted emails is performed in response to an instruction of said user.

19. (Previously Presented) The method of claim 18, wherein the method further comprises providing the user with an end user interface feature to provide said deletion instruction with a single press of a key or control button.

20. (Previously Presented) The method of claim 1, wherein the web site is a content provider, a service provider or an access provider.

21-23. (Cancelled).

24. (Previously Presented) A method comprising:
an electronic device requesting and receiving for a user, a first email address from an email service provider at a first point in time subsequent to the user subscribing for email service with the email service provider;
the electronic device employing the received first email address to facilitate communication between the user and a first communication partner or group of communication partners;

the electronic device, prior to the first communication partner or group of communication partners initiating a communication with the user, notifying the email service provider of said employment of the first email address to facilitate communication with the first communication partner or group of communication partners;

the electronic device requesting and receiving for the user, a second email address, separate and distinct from said first email address, from the email service provider at a second point in time subsequent to the user subscribing for email service with the email service provider, the second point in time being a later point in time than the first point in time;

the electronic device employing the received second email address to facilitate communication between the user and a second communication partner or group of communication partners; and

the electronic device, prior to the second communication partner or group of communication partners initiating a communication with the user, notifying the email service provider of said employment of the second email address to facilitate communication with the second communication partner or group of communication partners.

25. (Cancelled).

26. (Previously Presented) The method of claim 24, wherein said notifications are made integrally when the electronic device makes respective requests for said first and second email address from said email service provider.

27. (Previously Presented) The method of claim 24, wherein said notifications are made respectively after the electronic device have been respectively provided with said first and second email address from said email service provider.

28. (Previously Presented) A method comprising:

an email service provider registering a user of an electronic device, as a service subscriber of the email service provider; and

the email service provider providing together a collection of email addresses, said collection of email addresses having at least a first and a second email address, said first and second email addresses being separate and distinct and being provided by the email service provider to the electronic device for subsequent selection and use by the electronic device to facilitate communication between the user and respectively, a first and a second intended communication partner or group of communication partners;

wherein the first and second email addresses are provided together as a collection of email addresses to the user of the electronic device by the email service provider prior to the first and second intended communication partner or group of communication partners initiating communication with the user of the electronic device.

29. (Previously Presented) The method of claim 28, wherein said providing together a collection of email address comprises the email service provider providing a plurality of other distinct email addresses to the electronic device.

30. (Cancelled).

31. (Previously Presented) The method of claim 28, wherein the method further comprises the email service provider receiving notification of usage of said first email address with said first communication partner or group of communication partners, from the electronic device used by the user, and prior to the first communication partner or group of communication partners initiating a communication with the user.

32. (Previously Presented) The method of claim 28, wherein the method further comprises the email service provider receiving notification of usage of said second email addresses with said second communication partner or group of communication partners, from the electronic device used by the user, and prior to

the second communication partner or group of communication partners initiating a communication with the user.

33. (Previously Presented) A computer implemented method comprising:

an email service provider receiving notification of use of a first and a second email address with first and second intended communication partners, the notifications received by the email service provider prior to the first and second communication partners initiating communication with a user;

the email service provider receiving emails addressed to the first and the second email address of the user, the first and second email addresses being separate and distinct from each other and having been provided by the email service provider to an electronic device of the user for the electronic device to facilitate communication between the user and a first intended communication partner using the first email address and to facilitate communication between the user and a second intended communication partner using the second email address; and

the email service provider organizing said received emails based at least in part on said first and second email addresses of the user, and respective intended versus unintended communication partners of said first email address of the user and respective intended versus unintended communication partners of said second email address of the user.

34. (Original) The method of claim 33, wherein the method further comprises providing said emails to the user, with the emails characterized by at least said first and second email addresses, and intended versus unintended communication partners of said first and second email addresses.

35. (Previously Presented) A method comprising:

providing notification or facilitating the provision of notification, from an electronic device of a user to an email service provider, of use of email addresses with intended communication partners, the notifications provided prior to the intended communication partners initiating communication with the user;

receiving emails by the electronic device of the user, from the email service provider, wherein the emails are characterized based at least in part on separate and distinct email addresses of the user, and intended versus unintended communication partners of each of said email addresses of the user, and the email addresses of the user are provided to the electronic device for the user by the email service provider; and

presenting by the electronic device said emails for viewing by the user, organized by at least said email addresses of the user and said intended versus unintended communication partners of said email addresses.

36. (Previously Presented) The method of claim 35, wherein the method further comprises the electronic device deleting all received emails addressed to the first or second email address not sent respectively by the intended communication partner of the first/second email address.

37. (Original) The method of claim 36, wherein said deletion is performed in response to user instruction.

38. (Previously Presented) The method of claim 37, wherein the method further comprises the electronic device providing the user with an end user interface feature to provide said user instruction with a single press of a key or control button.

39-40. (Cancelled).

41. (Currently Amended) An apparatus comprising:

a storage medium having stored therein a plurality of programming instructions designed to enable the apparatus, ~~when~~if the programming instructions are executed, to obtain respectively a first and a second separate and distinct email address from an email service provider in real time for a user, at the first and second distinct email addresses' respective initial selection for usage, after subscription of email service with the email service provider by the user, and correspondingly

earmarking said first and second distinct email addresses to facilitate respective communication between the user and a first and a second intended communication partner or group of communication partners, and organizing received emails based at least in part on intended versus unintended communication partners of said first and second distinct email addresses; and

a processor coupled to the storage medium to execute the plurality of programming instructions.

42. (Currently Amended) The apparatus of claim 41, wherein the programming instructions, ~~when-if~~ executed, further enable the apparatus to notify of said employment of the first and second distinct email addresses to facilitate respective communication between the user and the first and second intended communication partner or group of communication partners.

43. (Currently Amended) The apparatus of claim 42, wherein the programming instructions, ~~when-if~~ executed, enable the apparatus to make said notifications integrally and respectively, when requesting for the first and second distinct email addresses from said email service provider.

44. (Currently Amended) The apparatus of claim 42, wherein the programming instructions, ~~when-if~~ executed, enable the apparatus to make each of said notifications after having been provided with the respective first and second distinct email addresses from said email service provider.

45. (Currently Amended) An apparatus comprising:

a storage medium having stored therein a plurality of programming instructions design to enable the apparatus, ~~when-if~~ the programming instructions are executed, to register a user as a service subscriber of the apparatus, and to provide together a collection of email addresses having at least a first and a second email address, said first and second email addresses being separate and distinct and being provided to an electronic device of the user for use by the electronic

device to facilitate communication between the user and a first and a second communication partner or group of communication partners, the provision being made in advance of the first and second email addresses' initial selection for usage; and

a processor coupled to the storage medium to execute the programming instructions.

46. (Currently Amended) The apparatus of claim 45, wherein the programming instructions, ~~when-if~~ executed, enable the apparatus to provide a plurality of distinct email addresses to the electronic device used by the user in advance of the first and second email addresses' initial selection for usage, for the electronic device to select said first and second separate and distinct email addresses.

47. (Cancelled).

48. (Currently Amended) The apparatus of claim 45, wherein the programming instructions, ~~when-if~~ executed, further enable the apparatus to receive notification of usage of said first email address with said first communication partner or group of communication partners, from the electronic device used by the user.

49. (Currently Amended) The apparatus of claim 45, wherein the programming instructions, ~~when-if~~ executed, enable the apparatus to receive notification of usage of said second email address with said second communication partner or group of communication partners from the electronic device used by the user.

50. (Currently Amended) An apparatus comprising:
a storage medium having stored therein a plurality of programming instructions designed to enable the apparatus, ~~when-if~~ the programming instructions are executed, to receive notification of use of a first and a second separate and distinct email address with first and second intended communication partners, the notifications received prior to the first and second communication partners initiating

communication with a user, to receive emails addressed to the first and the second separate and distinct email address of the user, and to organize said received emails based at least in part on said first and second email addresses, and intended versus unintended communication partners of said first and second email addresses, wherein the first and second email addresses having been provided respectively by an email service provider to an electronic device of the user for the electronic device to facilitate respective communication between the user and a first and a second intended communication partner; and

a processor coupled to the storage medium to execute the plurality of programming instructions.

51. (Currently Amended) The apparatus of claim 50, wherein the programming instructions, ~~when-if~~ executed, further enable the apparatus to provide said emails to the user, with the emails characterized by at least said first and second email addresses, and intended versus unintended communication partners of said first and second email addresses.

52. (Currently Amended) An apparatus comprising:

a storage medium having stored therein a plurality of programming instructions designed to enable the apparatus, ~~when-if~~ the programming instructions are executed, to provide notification or facilitate the provision of notification, to an email service provider, of use of email addresses with intended communication partners, the notifications provided prior to the intended communication partners initiating communication with a user, to receive emails of the user from the email service provider, the emails being characterized based at least in part on separate and distinct email addresses of the user, and intended versus unintended communication partners of each of said email addresses, and to present said emails for viewing by the user, organized by at least said email addresses of the user and said intended versus unintended communication partners of said email addresses, the email addresses of the user having been provided by the email service provider; and

a processor coupled to the storage medium to execute the plurality of programming instructions.

53. (Currently Amended) The apparatus of claim 52, wherein the programming instructions, ~~when-if~~ executed, further enable the apparatus to delete all received emails addressed to the first or second email address not sent respectively by the intended communication partner(s) of the first or second email address.

54. (Currently Amended) The apparatus of claim 53, wherein the programming instructions, ~~when-if~~ executed, further enable the apparatus to perform said deletion in response to user instruction.

55. (Currently Amended) The apparatus of claim 54, wherein the programming instructions, ~~when-if~~ executed, further enable the apparatus to provide the user with an end user interface feature to provide said user instruction with a single press of a key or control button.

56. (Currently Amended) A system comprising:

a networking interface;

a storage medium coupled to the networking interface, and having stored therein a plurality of programming instructions designed to enable the system, ~~when if~~ the programming instructions are executed, to register a user as a service subscriber of an email service, and to provide together a collection of email addresses having at least a first and a second email address, said first and second email addresses being separate and distinct and being provided to an electronic device of the user for use by the electronic device to facilitate respective communication between the user and a first communication partner or a first group of communication partners, and between the user and a second communication partner or group of communication partners, the provision being made in advance of the first and second email addresses' initial selection for usage; and

a processor coupled to the storage medium and the networking interface to execute the programming instructions.

57. (Currently Amended) The system of claim 56, wherein the programming instructions, ~~when-if~~ executed, enable the system to provide a plurality of distinct email addresses to the electronic device used by the user for the electronic device to select said first and second separate and distinct email addresses for used by the user for said respective communications, the provision being made in advance of the first and second email addresses' selection for initial selection for usage.

58. (Currently Amended) The system of claim 56, wherein the programming instructions, ~~when-if~~ executed, further enable the system to receive notification of usage of said first and second email addresses with said respective first or second communication partner or group of communication partners, from the electronic device used by the user.

59. (Currently Amended) A computer readable medium comprising:
a storage medium; and
a plurality of programming instructions stored in the storage medium, the programming instructions designed to program a system, to enable the system, ~~when-if~~ the programming instructions are executed, to register a user as a service subscriber of an email service, and to provide at least a first and a second email address, that are separate and distinct, to an electronic device of the user for use by the electronic device to facilitate respective communication between the user and a first intended communication partner or a first intended group of communication partners, and between the user and a second intended communication partner or a second intended group of communication partners, the provision being made in real time respectively at the first and second email addresses' respective initial selection for usage after enrollment of the user as a service subscriber of the email service provider, the first and second email addresses enabling differentiation of email received from intended versus unintended communication partners.

60. (Currently Amended) The computer readable medium of claim 59, wherein the programming instructions, ~~when-if~~ executed, enable the system to provide in real time respectively said first and second email addresses to the electronic device for use by the user, the provision being made in response respectively to a first and a second request, and the first and second requests being made at the first and second email addresses respective initial selection for usage.

61. (Currently Amended) The computer readable medium of claim 59, wherein the programming instructions, ~~when-if~~ executed, further enable the system to receive notification of respective usage of said first and second email addresses with said first and second communication partners or groups of communication partners, from the electronic device used by the user.

62. (Previously Presented) A computer implemented method, comprising:
receiving by a computing device, from an email service provider, a plurality of separate and distinct email addresses as a set of email addresses;

detecting by the computing device a need for an email address to be employed for communication with a first intended communication partner or partners;

automatically selecting by the computing device, a first email address from among the plurality of separate and distinct email addresses and storing information relating the first email address to the first intended communication partner or partners;

detecting by the computing device, a need for an email address to be employed for communications with a second intended communication partner or partners; and

automatically selecting by the computing device, a second email address from among the plurality of separate and distinct email addresses and storing information relating the second email address to the second intended communication partner or partners;

wherein the first and second email addresses are received together as a collection of email addresses prior to the first and second intended communication partner or partners initiating communication with the computing device.

63. (Previously Presented) The method of claim 62, further comprising:
sending information, by the computing device, to the email service provider relating the first email address to the first intended communication partner or partners and the second email address to the second intended communication partner or partners.

64. (Previously Presented) The method of claim 62, further comprising:
receiving by the computing device, email that is addressed to the first and second email addresses, the email including email sent from the first and second intended communication partner or partners and email sent from other sources; and
providing by the computing device, a user interface that segregates the received email into email sent from the intended communication partner or partners and email sent from other sources.

65. (Previously Presented) The method of claim 64, further comprising:
segregating by the computing device, the received email via the user interface into different inboxes corresponding to each of the first and second email addresses, and, for each inbox, different folders corresponding to email respectively sent from an intended communication partner or partners associated with the corresponding email address and email sent from other sources to the corresponding email address associated with that inbox.

66. (Previously Presented) The method of claim 62, further comprising:
generating and sending by the computing device a request to the email service provider to return a set of email addresses including a plurality of distinct email addresses.

67. (Currently Amended) A computer readable medium, comprising:
a storage medium; and
a plurality of programming instructions stored in the storage medium that, ~~when executed~~if executed, enable a system to receive, from an email service provider, a plurality of separate and distinct email addresses as a set of email addresses; to detect a need for an email address to be employed for communication with a first intended communication partner or partners; to automatically select a first email address from among the plurality of separate and distinct email addresses and to store information relating the first email address to the first intended communication partner or partners; to detect a need for an email address to be employed for communications with a second intended communication partner or partners; and to automatically select a second email address from among the plurality of separate and distinct email addresses and to store information relating the second email address to the second intended communication partner or partners; wherein the first and second email addresses are received together as a collection of email addresses prior to the first and second intended communication partner or partners initiating communication with the system.

68. (Currently Amended) The computer readable medium of claim 67, further comprising:
programming instructions that, ~~when~~if executed, enable the system to send information to the email service provider relating the first email address to the first intended communication partner or partners and the second email address to the second intended communication partner or partners.

69. (Currently Amended) The computer readable medium of claim 67, further comprising:
programming instructions that, ~~when~~if executed, enable the system to receive email that is addressed to the first and second email addresses, the email including email sent from the first and second intended communication partner or partners and email sent from other sources; and to provide a user interface that

segregates the received email into email sent from the intended communication partner or partners and email sent from other sources.

70. (Currently Amended) The computer readable medium of claim 69, further comprising:

programming instructions that, ~~when-if~~ executed, enable the system to segregate the received email via the user interface into different inboxes corresponding to each of the first and second email addresses, and, for each inbox, different folders corresponding to email respectively sent from an intended communication partner or partners associated with the corresponding email address and email sent from other sources to the corresponding email address associated with that inbox.

71. (Currently Amended) The computer readable medium of claim 67, further comprising:

programming instructions that, ~~when-if~~ executed, enable the system to generate and send a request to the email service provider to return a set of email addresses including a plurality of distinct email addresses.

72. (Previously Presented) An apparatus comprising:

means for receiving from an email service provider a first email address and a second email address, separate and distinct from the first email address;

means for providing the first received email address for use to register a user with a first intended web site; and

means for providing the second received email address for use to register the user with a second intended web site,

wherein the first and second email addresses are received together as a collection of email addresses in advance of providing the first and second email addresses to the first and second intended web sites,

wherein the means for providing the first and second email addresses comprises means for selecting the first and second email addresses from the

collection of email addresses to facilitate communication with intended versus unintended communication partners.

73. (Previously Presented) The apparatus of claim 72, further comprising means for notifying the email service provider of usage of the first and second email addresses, including addresses of the first and the second web site.

74. (Previously Presented) An apparatus comprising:

means for receiving notification of use of a first and a second email address with first and second intended communication partners, the notifications received prior to the first and second communication partners initiating communication with a user;

means for receiving emails addressed to the first and the second email address of the user, the first and second email addresses being separate and distinct from each other and having been provided to facilitate communication between a user and a first intended communication partner using the first email address and to facilitate communication between the user and a second intended communication partner using the second email address; and

means for organizing said received emails based at least in part on said first and second email addresses of the user, and respective intended versus unintended communication partners of said first email address of the user and respective intended versus unintended communication partners of said second email address of the user.

75. (Previously Presented) The apparatus of claim 74, further comprising means for providing said emails to the user, with the emails characterized by at least said first and second email addresses, and intended versus unintended communication partners of said first and second email addresses.